nove.premium 1219

Model Code F5662

date of issue 23-05-22 revision 00 revision of 31-05-22 (the present replaces any previous versions)

Designer: Centro Studi Interno

Structure: pinewood, multilayer and plywood covered with polyurethane foam.

Spring system: elastic webbing

Seat Padding: seat cushions in ecological polyurethane foam covered with 100% polyester layer.

Back Padding: backrests and headrests in ecological polyurethane foam covered with 100% polyester layer.

Arm Interior: armrest cushions in ecological polyurethane foam covered with 100% polyester layer.

Removability: not available.

Sewing: leather covers feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) covers.

Mechanisms: the model is equipped with headrests that can be manually lifted on all versions. The height of the model with lift-up headrests is 99 cm. Recliner versions available with electrically powered recliner metal mechanism operated by a touch-pad (TP) positioned on the seat sides. The total depth of the model with recliner mechanism completely open is 151 cm.

Standard feet: the model is lifted 9.5 cm off the floor. Metal feet (PM915) h. 12.5 cm, (PM922) h. 12.5 cm on small armchair version (190) and rectangular ottoman (635). Shiny metal standard finish. Alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function.



Density of seat and back kg/cbm (±5%) (1)

Markets	Seat	Back	
1	30 Medium	27	
D - NL - CH	30 hard	28 hard	
USA - California			
GB	37 fire retardant	31 fire retardant	
Others	30 Medium	27	
Noto: whon no values/conton	to ano aposition in the abort place	refer to 'Others' field/area	

ote: when no values/contents are specified in the chart, please refer to 'Others' field/area.

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFET/ INFORMATION TECHNUCE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split			1
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			~

* fabrics and microfibers are not available for the U.K. market



Feet





Ottoman




With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.

Technical Sheet Revision 00 Rif PR08 ST01/00



nove. premium 1219


L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



fold following the dotted line

nove. premium 1219


L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).



fold following the dotted line

nove. premium 1219

L Length - H Height - D Depth - SH Seat Height - SD Seat Depth Dimensions refer to maximum sizes of the version with closed mechanism (where available).





igwedge fold following the dotted line igwedge
