

ronnie.premium 1216



Model Code F5659

date of issue 11-02-22 revision 00
revision of 29-06-22 (the present replaces any previous versions)

Designer: centro studi interno

Structure: pinewood, multilayer, and plywood covered with 100% polyester padding. Backrests and armrests rest on a metal mechanism*.

Spring system: elastic webbing

Seat Padding: seat cushions in ecologic polyurethane foam covered with 100% polyester padding

Back Padding: backrest cushions in fiber (synthetic fiberfill).

Arm Interior: armrests in ecologic polyurethane foam covered with 100% polyester padding

Removability: entirely removable fabric covers. Not available on leather versions.

Sewing: leather covers feasible with contrast stitching in the colors available; cuts and sewing vary on microfiber (or fabric) covers

Mechanisms: *the model is equipped with backrests and armrests that can be manually adjusted, so that the seat depth can be extended by 42 cm and the seat width can be increased by 25 cm, per armrest side. The total depth of the model with backrests positioned outward is 141 cm, the opening range of the armrest positioned outward is 25 cm.

Standard feet: satinized finish metal feet, h. 17.5 cm; alternatively, it is possible to choose among the standard finishes enclosed in the sample book. The sample book also includes "special" finishes available with a price upcharge, subject to production approval. Some versions may be equipped with hidden feet with a supporting structural function.

Optional versions: armrest pillow (683) in fiber (synthetic fiberfill). Comfort headrest (F55) in polyurethane foam covered with 100% polyester layer, supported by a shiny metal structure.

Density of seat and back kg/cbm (±5%) ⁽¹⁾

Markets	Seat	Back
I	30 Medium	
D - NL - CH		
USA - California		
GB	37 fire retardant	
Others	30 Medium	

Note: when no values/contents are specified in the chart, please refer to 'Others' field/area.

⁽¹⁾Density: volume mass apparently determined on materials without any kind of covers and according to the UNI EN ISO 845 regulations. Indicated values refer to production averages; the Company reserves the right, if needed, to make changes to the declared technical characteristics. Before use, it is advisable to look at the SAFETY INFORMATION TECHNIQUE for info regarding use and protection of people and of the environment, in compliance with existing EEC regulations.

Coverings

	suggested	not suggested	not possible
thick leathers	✓		
thin elastic leathers	✓		
natural leathers	✓		
fabric*	✓		
microfibre*	✓		
leather + split			✓
DeLuxe			✓
multi colour**			✓
multi-category**			✓
multi covering**			✓

Please note: for not removable models, only one colour fabric covers are available.

*fabrics and microfibers are not available for the U.K. market

Components / Optional vers.



1161_F55

Feet



PM2104

Ottoman



With the reservation of carrying for production purposes and without advanced notices modifications on the materials, coverings and dimensions of the product as indicated in the relevant specification. The given dimensions and volume are of indicative value being subject to the production process tolerances. For normal use, the following maximum loads are recommended: Armchairs max. 120 kg, 2-seat sofas max. 200 kg (2x100 kg), 3-seat sofas max. 240 kg (3x80 kg). Use with loads exceeding the indicated values may cause the sofa/armchair or its components to break.





↑ fold following the dotted line ↑

ronnie. premium 1216



L Length - H Height - D Depth - SH Seat Height - SD Seat Depth
Dimensions refer to maximum sizes of the version with closed mechanism (where available).



dimensions	L 33 H12 D61 SH- SD-	L 101 H44 D70 SH- SD-	L 60 H22 D16 SH- SD-
version code	683	641	F55
Description	armrest pillow	rectang.ottoman maxi	comfort headrest

↓ fold following the dotted line ↓

